




S27 Installation Guide for
Stand Use



S27 Assembly List for Stand Use



① Main System




② Side Bracket
(002.23.0158)



⑤ Column
(002.23.0157)



③ 2pcs left & 2pcs right
Wall Mount Hooks
Left(002.23.0139)
Right(002.23.0140)




⑥ Base
(002.34.0029)




⑦ Screw Tool
(018.08.0008)



⑧ 4pcs Keys
(018.32.0005)



④ 4pcs M8*60 Expansion Bolts
(018.37.0102)



KM 4*6
(018.37.0059)



PM 5*12
(018.37.0105)




SHCS M 6*12
(018.37.0018)




M4 Lock Screw
(018.37.0101)

⑨ List of Screws
8pcs KM 4*6 screws
12pcs PM 5*12 screws
4pcs SHCS M 6*12 screws
2pcs M4 Lock screws


S27 Installation for Stand Use




Step 1:
Fix the 2pcs left and 2pcs right
wall mount hooks onto the main
system with 8pcs KM 4*6 screws
(018.37.0059).




Step 2:
Fix the column onto the
base with 4pcs SHCS M6*12
screws(018.37.0018).



Step 3:
Fix the 2 side brackets onto
the column with 12pcs PM 5*12
screws (018.37.0105).




Step 4:
Combine the finished components
from step 1 to step 3 with 2pcs
M4 lock screw.(018.37.0101)




Step 5 (Optional):
Secure the base to the floor
with 4pcs M8*60 expansion
bolts (018.37.0102) .


S27 Installation Guide for Wall Mount



S27 Assembly List for Wall Mount Use




① Main System




② Wall Mount Bracket (002.23.0048)



③ 2pcs left & 2pcs right Wall Mount Hooks
Left(002.23.0139)
Right(002.23.0140)



④ 4pcs M8*60 Expansion Bolts (018.37.0102)



⑤ Installation Alignment Paper



⑥ Screw Tool (018.08.0008)



M4 Lock Screw (018.37.0101)




KM 4*6 (018.37.0059)




⑦ 4pcs Keys (018.32.0005)

⑧ List of Screws
2pcs M4 Lock screw
8pcs KM 4*6 screws


S27 Installation for Wall Mount




Step 1:
Fix the 2pcs left and 2pcs right wall mount hooks onto the main system with 8pcs KM 4*6 screws (018.37.0059).



Step 2:
Drill the holes on the wall according to the 4 holes of the installation alignment paper, and then fix the wall mount bracket to the wall with 4pcs M 8*60 expansion bolts(018.37.0102).




Step 3:
Align the main system with the 4 wall mount hooks and install it on the wall mount brackets.




Step 4:
Open the upper and lower doors of the cabin and secure the main unit and wall mount from the inside using two M4 locking screws. (018.37.0101).

S27 Operation Guide


The images of the self-service kiosks are provided for reference only, the actual module functionality is subject to the details specified in the order.




A. After inserting the key, rotate it 90 degrees clockwise to open the printer compartment door below.



B. Press the printer switch to replace the paper roll.




C. To unlock the main system door, insert the key and rotate it clockwise approximately 90 degrees, and the main system will open.




D. Remove the payment bracket cover, and fix the external payment bracket onto the main system with 2pcs KM 3*8 screws (018.37.0061).

S27 Installation Dimensions for Stand Use


(Support 3 Adjustable Heights)



Highest installation from the ground: 942mm




Medium installation from the ground: 875mm




Lowest installation from the ground: 800mm


S27 Installation Dimensions for Wall Mount



Wall Mount Bracket



Main System And Wall Mount Bracket



Warning:
The wall thickness for wall mounting must be thicker than 100MM to ensure safety and avoid falling.

Suggested installation height for wall mount is 1000MM-1100MM from the ground to the bottom of the wall mount bracket.